PRODUCT DATA



FASSON® White Manilla

Issued July 2024

Introduction

A self-adhesive paper sheet product for offset printing.

Description

Face: Premium-quality calandered woodfree paper board, matt white only.

This product, FSC® C011032 certified, is sold as FSC® Mix Credit.

Availability

	Adhesive ⊃	Permanent
Backing U		
No cracklines		x

Printing & Conversion

Offset printing.

Before applying the label, the surface must be clean, dry and grease-free.

Recommendations for use

Point-of-sale cards, instruction labels, oil change labels, and other stickers where a substantial face material is needed. For indoor use.

General

Shelf life: 2 years stored at 20°C / 55% R.H.

Total caliper (±10 %): 282 micron

For information regarding EHS regulation, please visit our website under downloads "Technical bulletins" TB 7.8 Product Compliance Fasson Offset" and for technical guidance "Technical bulletins" – Offset printing.



PRODUCT CHARACTERISTICS

Physical properties

Face

 Basis weight:
 150 g/m²
 ISO 536

 Caliper:
 172 micron
 ISO 534

 Opacity:
 98 %
 ISO 2471

Adhesive

Permanent: General-purpose water-based permanent adhesive with a high initial tack and

high adhesion on most common substrates.

Adhesion (N/25mm)

(FTM 1 on steel/20 min. bond time) 15.4

Tack(N)

(FTM 9 on st.steel) 10.3 Minimum application temperature +5

Service temperature range

after 24 hrs (°C) +80

Resistance to cold (°C)¹⁾ down to -20

Backing

No cracklines: A bleached one-side-coated white kraft, especially designed for sheet products,

featuring minimal moisture sensitivity.

Basis weight:86 g/m²ISO 536Caliper:87 micronISO 534

Guarantee and liability:

Guarantee and inabinity:
All products statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. Products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes.
All products are sold subject to Torraspapel – Lecta's general terms and conditions of sale, see https://www.lecta.com/terms
Fasson® and Crack-Back® are registered trademarks of Avery Dennison Corporation and related entities, and the products are produced by Torraspapel – Lecta under license from Avery Dennison Corporation and related entities for EMENA only.



¹⁾ Not fully resistant until after adhesion reaches full strength – after at least 24 hrs.